

Snap-on®

COOLING SYSTEM APPLICATION GUIDE

® T.M. REG.
U.S. PAT. OFF.

FOR COOLING SYSTEM ADAPTOR AND COOLING SYSTEM TOOLS

APPLICATION GUIDE AND PARTS LIST



See back
cover for
diagram,
descriptions,
and part
numbers

Cooling System Pressure Tester SVTS272

- Requires less effort making it ideal for higher pressure systems
- Includes adaptor TAB10052 essential to test many late model Fords



Air Powered Cooling System Pressure Tester SVTS263A

COOLING SYSTEM REFILLERS:



IMPROVED



SVTSRAD272A

For use with positive fit adaptors

SVTSRAD272U

No Adaptors Necessary!

More highly refined venturi and larger internal passages
equals a faster, more complete fill.

LARGE TRUCK COOLING SYSTEM TOOLS:



SVTSRAD372TA

Truck Coolant Refiller

- Creates a higher vacuum faster
- Bottom connect gauge allows read from shop floor with increased passage diameters and larger/longer hose.



SVTS2000 Coolant Barrier Pressure Tester


Change a cooling system component
WITHOUT draining the system!



SVTA17000A:

An excellent display case including all adaptors necessary for testing passenger vehicle cooling systems through 2015. Contains: SVT262-28A, TA16B, TA18B, TA31A, TA34A, TA36GM, TA38C, TA41, TA44, TA46, TA48, TA52, TA56, TA245A, TA345A, TA445 and TA4503.

Plastic box available separately as part number PBSVTA1417.



Laminated adaptor
two sided application sheet
included with both the
SVTA17000A Version
and
Blue-Point SVTAB1400 Version.

**- EACH VERSION FITS RIGHT
INSIDE THE CASE
FOR QUICK REFERENCE -**



SVTAB1400 COOLING SYSTEM ADAPTOR SET (BLUE-POINT®):

Molded plastic box holds 14 composite cooling system adaptors: TAB10022, TAB10025, TAB10031, TAB10034, TAB10041, TAB10044, TAB10046, TAB10048, TAB10052, TAB10056, TAB10245, TAB10345, TAB10445, and TA4503. Pump and adaptors from SVTS272 or SVTS262C also will fit in box. This combination will pressure test the cooling systems of all modern cars and light trucks through 2015.

Plastic box available separately as part number PBSVTA1417.



Large Trucks Cooling Systems



TAB10052V
50mm x 2.5mm
threaded neck



TAB10022V
48mm x 3mm
threaded neck



TAB10025V
45mm x 3mm
threaded neck



TAB10036V
52mm x 2.5mm
threaded neck

Large trucks often have two cooling system caps: an accessible non-pressure relieving cap and pressure relieving cap that will leak under vacuum.

A "Vacuum Holding Adaptor" may be necessary to refill. These adaptors replace the pressure relieving cap and have an automatic safety pressure relief system.

**Consult Your Snap-on® Franchisee for Availability
of these Expanded Kits**




FOR LARGE TRUCKS: SVTA8100

8 pc. Truck Cooling System Adaptor Set includes:
TA4505, (fits traditional "B" size neck),
TA18B (Dodge® Promaster and Volvo® trucks)
TA27 (older Volvo® Trucks),
TA32A (2007- current Kenworth®, Freightliner®,
& Peterbilt®),
TA50 (most Volvo® and late model Mack® Trucks),
TA54 (some Freightliner®)
TA58 (2007-current Dodge®/Mercedes® Sprinter
Van)
TA84 (2015 - current Kenworth® T270 and T370)
Combined with pump and TAB10036 adapter from
SVTS272 or SVTS263A, it is able to pressure test 10
filler necks found on modern large trucks.

Plastic box available separately as part number
PBSVTB8100

**Laminated adaptor two sided
application sheet included**

**- FITS RIGHT INSIDE THE CASE
FOR QUICK REFERENCE -**




APPLICATION:
AUDI®: models with male threads on filler neck
PORSCHE®:
 Boxster: 1997-2006
 Cayman: 2006
 911: 1999-2015
SMART CAR®:
 Models 2008-2015
VOLKSWAGEN®:
 models with male threads on filler neck of radiator or expansion tank



APPLICATION:
FERRARI®/MASERATI®: most models 2000-
JEEP®: models with male threads on filler neck (1990-1994)
RENAULT®: (1985-1997)
SAAB® 900: (1978-1993)
 -900 Convertible (1994)
 -9000 (1986-1998)
STERLING®: (1987-1991)
VOLVO®: most models with threaded neck through 2004 (see page 18)



APPLICATION:
VOLKSWAGEN®:
 Most models with female threads on filler neck 1990-1998



APPLICATION:
 Some personal vehicles made by Buick®, Cadillac®, Chevrolet®, Ford®, GMC®, Infiniti®, Isuzu®, Jaguar®, Land Rover®, Lincoln®, Mazda®, Mercedes®, Mercury®, Nissan®, Oldsmobile® and Pontiac®.
 Some large trucks made by Freightliner®, International®, Kenworth® and Peterbilt®



APPLICATION:
 Some models of Cadillac®, Chevrolet®, Daewoo®, Ford®, Jaguar®, Land Rover®, Pontiac®, Saab®, Saturn® and Suzuki®



TAB10036




TA36GM



TA37



WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK



Thread Cutaway

APPLICATION:

Some personal vehicles made by Buick®, Cadillac®, Chevrolet®, Dodge®, Ford®, GMC®, Hummer®, Infiniti®, Isuzu®, Jaguar®, Jeep®, Land Rover®, Lincoln®, Mazda®, Mercedes®, Mercury®, Nissan®, Pontiac®, RAM®, Saab®, Saturn® and Suzuki®.

Some large trucks made by Freightliner® and International®.



TAB10041




TA40



TA41



WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK



Thread Cutaway

APPLICATION:

AUDI®: A4 1996-current
A6 1998-current
A8 1997-current
S4 2004-current
TT 2000-current

BENTLEY®: 2006-current

LAMBORGHINI®: 2006-current

PORSCHE®:

Boxster 2007-2013
Cayenne 2003-2013
Cayman 2007-2011
Macan 2015-current
Panamera 2010-current


VW®: Most Models 1998 & newer



TAB10042



WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK



Thread Cutaway

APPLICATION:
KENWORTH®:

T660 2008 - 2017
T680 2014 - current

TA45




TA44



TAB10044

WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK



Thread Cutaway

APPLICATION:

MERCEDES-BENZ®: with threaded filler neck on expansion tank (except M-class, 1998-2005)
(see page 16)

CHRYSLER®:
Crossfire 2004-2008



TA47




TA46








TAB10046



WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK

**APPLICATION:**

Some models of Aston Martin®, Ford®, Jaguar® and Mazda®



TA63



TAB10063



WHERE O-RING OF CAP SEALS ON
COOLANT BOTTLE NECK

Outside Diameter
45 mm

3mm



Thread Cutaway

TAB1C026



KTM® MOTORCYCLES BAYONET STYLE ADAPTOR

TA67



TA67R



Adaptor designed
to fit around the
gas tank so techni-
cian can test the
cooling system
without removing
the gas tank.

27.5 mm

20 mm

WHERE GASKET SEALS ON
RADIATOR NECK

KTM® MOTORCYCLES THREADED ADAPTOR

TAB10069



WHERE GASKET
OF CAP SEALS ON
RADIATOR NECK

OUTSIDE DIAMETER
29.75 mm

4 mm

APRILIA® MOTORCYCLES THREADED ADAPTOR

TAB10070



Outside Diameter
36 mm

4 mm

WHERE GASKET SEALS ON
COOLANT SYSTEM NECK

TA72



WHERE GASKET OF CAP SEALS ON
COOLANT BOTTLE NECK

45 mm
THREAD DIAMETER

COOLING SYSTEM TANK
THREAD CUTAWAY

TAB10072



APPLICATION:

BMW®:

Turbocharger Cooling
Systems (all)

MINI®:

Cooper 2002-current

SMART CAR®:

2016-current

Comment: The TA63 and TAB10063 seal with an o-ring just like the cap from the system they test. In most cases the TA18B and TAB10025, which seal on the top rim will adequately seal such that pressure testing can be accomplished.

APPLICATION:

ALFA ROMEO®:

Some models with threaded
filler neck

DODGE®:

ProMaster 2015-current

FIAT®:

Model 500: Some versions
with threaded filler necks

MASERATI®:

Ghibli S Q4 2015-current

MCLAREN®:

Some models 2016-current




TAB1C023



TA23A

TAB10074

**APPLICATION:**BENTLEY®:

Some Models


VOLKSWAGEN®:

Sharan (EU)

Phaeton 2004-2006 (US)



TAB10078

**APPLICATION:**PORSCHE®:

Boxster 2015 - current

Cayman 2014 - current


(Found in luggage compartment)



TAB1C087



TA86

WHERE GASKET OF CAP SEALS ON
COOLANT BOTTLE NECK**APPLICATION:**HYUNDAI®:

Tucson 2016-current

KIA®:

Sportage 2016-current

Niro 2017-current




TAB1C089



TA88



TAB10088

WHERE O-RING OF CAP SEALS ON
COOLANT BOTTLE NECK**APPLICATION:**VOLVO®:

XC90T8 Hybrid-2016-current




TA92



TA93




TAB10093

Note: this
adaptor has
left hand
thread**APPLICATION:**CHEVROLET®:DURAMAX :

Engine 2017-current

Use TA92/TAB10092
for pressure testing.Use TA93/TAB10093
for vacuum.

TAB10096

WHERE GASKET OF CAP SEALS ON
COOLANT BOTTLE NECK**APPLICATION:**VOLVO®:


EC220E Excavator

TAB10098



TAB1C099

WHERE O-RING OF CAP SEALS IN COOLANT BOTTLE NECK



APPLICATION:

TESLA®:

Model 3
2017 - current



TAB10245




WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK

Outside Diameter

52 mm

3mm



APPLICATION:

BMW®: models with threaded filler necks (up to 1987)

325: up to 1991

525: up to 1993

MERKUR® SCORPIO: (1987-1989)

Comments:
Rubber gasket seals on "shelf" inside expansion tank neck

TA345A



TAB10345



TA346A




WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK

Outside Diameter

52 mm

4mm



APPLICATION:

BMW®: Most Models, 1988-2008

LAND ROVER®:

Some models with male threads on filler neck (see page 15)

Discovery 1999-2004

Range Rover 1996-2006

Comments:
Rubber gasket seals on "shelf" inside expansion tank neck



TA445

TAB10445




TA446

WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK

Outside Diameter

52 mm

3mm



APPLICATION:

BMW®:
(Most models, 2007-current)

FORKLIFTS - MOTORCYCLES - TOYOTA® SIENNA VAN

Remote adaptor allows pressure pump or vacuum filler to be installed in various low overhead applications.

Most motorcycles,
including the
Harley Davidson®
liquid cooled
models, use this
configuration.



SVT262-28A



ROUNDED EARS



← SVT262-28R
Remote Adaptor

32 mm

16.0 mm

WHERE GASKET OF CAP MEETS RADIATOR NECK

FORKLIFTS - MOTORCYCLES - TOYOTA® SIENNA VAN


CONTINUED ON NEXT PAGE

FORKLIFTS - MOTORCYCLES - TOYOTA® SIENNA VAN

CONTINUED FROM PREVIOUS PAGE




TA39A



TA38C

SQUARE EARS



WHERE GASKET OF CAP MEETS RADIATOR NECK

Comments: The SVT262-29/SVT262-28/SVT262-28A and the TA39A/TA38B/TA38C have applications too numerous to list here. See Application Guide pp 12-18. These adaptor sets are quite similar, but the SVT262-29/SVT262-28/SVT262-28A is a deeper neck than the TA39A/TA38B/TA38C. See drawings above, right.


Note: SVT262-28A & TA38C are shaped to resemble caps from system to be tested.



SVT262-21

SVT26233

WHERE GASKET OF CAP MEETS RADIATOR NECK



APPLICATION:

Most passenger vehicles through the mid 1980's have this radiator neck and many still do today. This is the configuration onto which the pump attaches directly.

For Necks 1" deep use 1/4" thick SVT262-22 spacer washer to compensate.

LARGE TRUCKS / BUSES / HEAVY EQUIPMENT / INDUSTRIAL



TAB10022

TA23A

TA50



WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK

OUTSIDE DIAMETER 48mm

3mm

48mm

Thread Cutaway

APPLICATION:

VOLVO®:

Large Trucks with 48mm x 3mm male thread on filler neck

MACK TRUCKS®:

2008 and later with 48mm x 3mm threads on filler neck



TAB10027

TA27

WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK

OUTSIDE DIAMETER

63 mm

3mm

Thread Cutaway

APPLICATION:

VOLVO®:

Large Trucks with 63mm x 3mm thread on filler neck



TAB10054

TA54

WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK

OUTSIDE DIAMETER

60mm

3mm

Thread Cutaway


APPLICATION:

FREIGHTLINER®:

Trucks with 60mm x 3mm male thread on filler neck




Note: Cap and adaptor have 3 tabs



APPLICATION:
LIEBHERR® CRANE:
 Some models
VAN HOOL® BUS:
 Some models



TAB10084




APPLICATION:
KENWORTH®:
 2015-current
 T270
 T370



Note: Cap and adaptor have 3 tabs

WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK




APPLICATION:
INDUSTRIAL APPLICATIONS:
 With a 4 inch neck



TA450A
SET
TA4505

PART #TA450A:
Truck adaptor kit for trucks with "B" size 2 11/16" O.D. filler neck




TA4503
Type cap

PART #TA4503: GMC® adapter kit tests pressure on "closed cooling systems" on GMC® 2.5L "X" body cars and 1.8L "J" body cars




TAB10094



APPLICATION:
VOLVO®:
 A45G Articulated Hauler
 2017 - current



TAB10102



APPLICATION:
JOHN DEERE®:
 Some models
 1990's - current

Thread Cutaway

COOLING SYSTEM ADAPTORS

Make/Model/Year	Cooling System Adaptor	Cap Adaptor	Make/Model/Year	Cooling System Adaptor	Cap Adaptor
ACURA®			BMW® (CONTINUED)		
Models with 16mm deep filler neck, see page 9	SVT262-28/28A	SVT262-29	Z3 2002	TA345A/TAB10345	TA346
Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A	Z4 2003-2008	TA345A/TAB10345	TA346A
			2009-current	TA445/TAB10445	TA446
ALFA ROMEO®			Z8 2003	TA345A/TAB10345	TA346A
4C 2014-current	TA72/TAB10072	TAB1C026			
Giulia 2016-current	TA72/TAB10072	TAB1C026	BUICK®		
Giulietta 2014-current	TA72/TAB10072	TAB1C026	All Models w/male threads on filler neck except as noted below	TA36GM/TAB10036	TA37
Mito 2014-current	TA72/TAB10072	TAB1C026	Roadmaster 1994-1996	TA36GM/TAB10036**	TA33A
			Skyhawk 1982-1987 1.8L & 2.0L	TA4503	
ASTON MARTIN®			Skylark 1982-1988 2.5L	TA4503	
6.0 L, V-12 2015-current	TA52/TAB10052	TA53	1992-1998	TA36GM/TAB10036**	TA33A
Various Models 2005-current	TA46/TAB10046	TA47	Somerset 1985-1987 2.5L	TA4503	
AUDI®			CADILLAC®		
Models with male threads on filler neck of exp. tank	TA16B/TAB10022	TA23A	All Models w/male threads on filler neck except as noted below	TA36GM/TAB10036	TA37
Models with female threads on filler neck of exp. tank	TA41/TAB10041	TA40	Catera 1997- 2001	TA34A/TAB10034	TAB1C047
BLUEBIRD® BUS			Fleetwood 1994-1996	TA36GM/TAB10036**	TA33A
Late model Thomas Built buses	TA36GM/TAB10036	TA37	Seville 1998-2004	TA36GM/TAB10036**	TA33A
BMW®			STS 2005-2010		
Models with threaded filler neck			Engine Cooling System	TA36GM/TAB10036	TA37
Up to 1987	TA245A/TAB10245	TAB1C047	Supercharger Cooling System	TA56/TAB10056	TA57
Most 1988-2007	TA345A/TAB10345	TA346A	CHEVROLET®		
Most 2007-current	TA445/TAB10445	TA446	All Models w/ male threads on filler neck except as noted below	TA36GM/TAB10036	TA37
Model 325 1988-1991	TA245A/TAB10245	TAB1C047	Aveo 2004-2011	TA34A/TAB10034	TAB1C047
Model 535 1989-1993	TA245A/TAB10245	TAB1C047	Bolt 2017-current	TA56/TAB10056	TA57
1 Series 2008-current	TA445/TAB10445	TA446	Beretta 1992-1996	TA32A	TA33A
3 Series 1990-2006	TA345A/TAB10345	TA346A	Caprice 1994-1996	TA36GM/TAB10036**	TA33A
2006-current	TA445/TAB10445	TA446	Cavalier 1995-1998	TA32A	TA33A
5 Series 1989-2004	TA345A/TAB10345	TA346A	1999-2005	TA36GM/TAB10036	TA37
2005-current	TA445/TAB10445	TA446	Citation 1982-1985 2.5L	TA4503	
Turbocharger Cooling Sys (all)	TA63/TAB10063▲	TAB1C026	Cobalt 2005-2010		
6 Series 2004-current	TA445/TAB10445	TA446	Engine Cooling System	TA36GM/TAB10036	TA37
Turbocharger Cooling Sys (all)	TA63/TAB10063▲	TAB1C026	Supercharger Cooling System	TA56/TAB10056	TA57
7 Series 1994-2008	TA345A/TAB10345	TA346A	Corsica 1992-1996	TA36GM/TAB10036**	TA33A
2008-current	TA445/TAB10445	TA446			
Turbocharger Cooling Sys (all)	TA63/TAB10063▲	TAB1C026			
X1 2009-2011	TA345A/TAB10345	TA346A			
X3 2004-7/2009	TA345A/TAB10345	TA346			
7/2009	TA445/TAB10445	TA446			
X5 2000-2008	TA345A/TAB10345	TA346A			
2009-current	TA445/TAB10445	TA446			
Turbocharger Cooling Sys (all)	TA63/TAB10063▲	TAB1C026			
X6 2008-current	TA445/TAB10445	TA446			
Turbocharger Cooling Sys (all)	TA63/TAB10063▲	TAB1C026			

▲ TA63/TAB10063 seals the same way the radiator cap seals but the TA18B/TAB10025 will work in most applications.

** If TA36GM/TAB10036 "Stem" does not fit into cooling system neck, you might need to use TA32A

COOLING SYSTEM ADAPTORS

Make/Model/Year	Cooling System Adaptor	Cap Adaptor	Make/Model/Year	Cooling System Adaptor	Cap Adaptor
CHEVROLET® (CONTINUED)					
Duramax (L5P diesel) engine 2017-current (pressure testing)	(This adaptor has left handed thread) TA92/TAB10092		Stealth 1991-1996	SVT262-28/28A	SVT262-29
2017-current (vacuum filling)	TA93/TAB10093		Stratus (3.0 liter only) 2001-2006	TA38B/TA38C	TA39A
Impala 1994-1996	TA32A	TA33A	Summit 1989-1992	SVT262-28/28A	SVT262-29
2004-current	TA36GM/TAB10036	TA37	1992-1996	TA38B/TA38C	TA39A
Lumina 1990-1992	TA4503		Talon 1990-1998	SVT262-28/28A	SVT262-29
Malibu 1997-1998	TA32A	TA33A			
1999-current	TA36GM/TAB10036	TA37			
Metro 1998-2001	TA38B/TA38C	TA39A			
Nova 1985-1988	SVT262-28/28A	SVT262-29			
Prizm 1998-2002	TA38B/TA38C	TA39A			
Spectrum 1985-1989	SVT262-28/28A	SVT262-29			
Sprint 1985-1988	SVT262-28/28A	SVT262-29			
Tracker 1998-2004	TA38B/TA38C	TA39A			
Volt 2012-current					
Electric Motor	TA56/TAB10056	TA57			
Battery System	TA56/TAB10056	TA57			
Gasoline Engine	TA36GM/TAB10036	TA37			
CHRYSLER®/DODGE®/EAGLE®/PLYMOUTH®					
200 2015-current	TA36GM/TAB10036	TA37	All Models w/male threads on filler neck except as noted below	TA36GM/TAB10036**	TA33A
2000 GTX 1989-1990	SVT262-28/28A	SVT262-29	Aspire 1994-1997	SVT262-28/28A	SVT262-29
Avenger 1995-1999	SVT262-28/28A	SVT262-29	C-Max 2013-current	TA52/TAB10052	TA53/TAB1C053
Colt 1984-1993	SVT262-28/28A	SVT262-29	Contour 1995-1997	TA34A/TAB10034	TAB1C026
1992-1994 (some models)	TA38B/TA38C	TA39A	1998-2000	TA46/TAB10046	TA47
Conquest 1984-1989	SVT262-28/28A	SVT262-29	Cougar/Thunderbird 1989-1992	SVT262-28/28A	SVT262-29
Crossfire 2004-2008	TA44/TAB10044	TA45	1993-1997 V8	TA36GM/TAB10036**	TA33A
Dart 2013-2016	TA36GM/TAB10036	TA37	1993-1997 V6	SVT262-28/28A	SVT262-29
Laser/Talon 1990-1998	SVT262-28/28A	SVT262-29	Edge 2015-current	TA52/TAB10052	TA53/TAB1C053
Promaster 2014-current	TA72/TAB10072*	TAB1C026	Escape 2001-2012	TA46/TAB10046	TA47
Pacifica 2017-current	TA36GM/TAB10036	TA37	2013-current	TA52/TAB10052	TA53/TAB1C053
Hybrid 2017-current	TA56/TAB10056	TA57	Escort/Tracer 1991-current	SVT262-28/28A	SVT262-29
RAM 50 Pickup 1987-1993	SVT262-28/28A	SVT262-29	Explorer/Mountaineer/Aviator 1995-2002	SVT262-28/28A	SVT262-29
RAM Pick-up 2013 - (6.7L)	TA36GM/TAB10036	TA37	2002-current	TA36GM/TAB10036**	TA33A
Sebring 2003-2005 6c 3.0L & 4c 2.4L	TAB38B/TA38C	TA39A	F-150 Pick up 2015-current	TA52/TAB10052	TA53/TAB1C053
2001, 2002-2006	none	SVT262-21	Festiva 1988-1993	SVT262-28/28A	SVT262-29
Sprinter Van 2007-2010	TA58	TA59	Fiesta 2011-current	TA52/TAB10052	TA53/TAB1C053
			Focus 2000-2004	TA34A/TAB10034	TA246A
			2005-2007	TA36GM/TAB10036**	TA33A
			2008-2011	SVT262-28/28A	SVT262-29
			2012-current	TA52/TAB10052	TA53/TAB1C053
			Fusion 2013-current	TA52/TAB10052	TA53/TAB1C053
			LS 2002-2006	TA34A/TAB10034	TAB1C047

*TA18B/TAB10025 may also work.

**If TA36GM/TAB10036 "stem" with o-ring will not fit into cooling system neck, the TA32A may be required.

PAGE 13

COOLING SYSTEM ADAPTORS

Make/Model/Year	Cooling System Adaptor	Cap Adaptor	Make/Model/Year	Cooling System Adaptor	Cap Adaptor
FORD®/LINCOLN®/MERCURY® (CONTINUED)					
MKC 2015-current	TA52/TAB10052	TA53/TAB1C053	All Models w/male threads on filler neck	TA36GM/TAB10036	TA37
Mustang V8, 1996-2014	TA36GM/TAB10036**	TA33A	Models with 16mm deep filler neck, see page 9	SVT262-28/28A	SVT262-29
V6, 1997-2004	SVT262-28/28A	SVT262-29	Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A
V6, 2005-current	TA36GM/TAB10036**	TA33A			
V8 2015-current	TA52/TAB10052	TA53/TAB1C053			
Probe 1989-1997	SVT262-28/28A	SVT262-29			
Ranger Pickup 1995- (non threaded neck)	SVT262-28/28A	SVT262-29			
2002- (threaded neck)	TA36GM/TAB10036**	TA33A			
Super Duty Pickup expansion tank 2012-current	TA36GM/TAB10036**	TA33A			
Tempo/Topaz 1992-1994	SVT262-28/28A	SVT262-29			
Thunderbird 1989-1993 (All)	SVT262-28/28A	SVT262-29			
1994-1997 (V6)	SVT262-28/28A	SVT262-29			
1994-1997 (V8)	TA36GM/TAB10036**	TA33A			
2002-2004 (V8)	TA36GM/TAB10036**	TA33A			
Transit 2010-2012	TA34A/TAB10034	TAB1C047			
2013-current	TA52/TAB10052	TA53/TAB1C053			
Villager 1993-2002	SVT262-28/28A	SVT262-29			
Windstar 1995-2000	SVT262-28/28A	SVT262-29			
2000-2003	TA36GM/TAB10036**	TA33A			
ZX2 2001-2003	SVT262-28/28A	SVT262-29			
FREIGHTLINER®					
Trucks with 60mm x 3mm male thread	TA54/TAB10054				
52mm x 2.5mm male thread:					
Cascadia 2007-current	TA32A	TA33A			
Century, Columbia 2002-current	TA36GM/TAB10036	TA37			
GEO®					
Metro 1989-1994	SVT262-28/28A	SVT262-29			
1995-1998	TA38B/TA38C	TA39A			
Prizm 1989-1992	SVT262-28/28A	SVT262-29			
1993-2002	TA38B/TA38C	TA39A			
Storm 1990-1993	SVT262-28/28A	SVT262-29			
Tracker 1989-1993	SVT262-28/28A	SVT262-29			
1994-2004	TA38B/TA38C	TA39A			
GMC®					
All Models w/male threads on filler neck					
HONDA®					
Models with 16mm deep filler neck, see page 9					
HUMMER®					
All Models with male threads on filler neck					
HYUNDAI®					
All models 1987-current					
Tucson 2016-current					
INDUSTRIAL					
Various industrial applications (see page 11 specs)					
INTERNATIONAL®					
466 Engine with male threads on filler neck					
1994-1998					
INFINITI®					
All Models with Non-Threaded Small Cooling System Caps (see page 9)					
QX56					
2004-2009	TA36GM/TAB10036**	TA33A			
2010-current	SVT262-28/28A	SVT262-29			
ISUZU®					
All models except as noted below					
1985-2009					
Amigo 1999-2000 (I-4 only)					
Ascender 2002-2009					
i280 2006	TA36GM/TAB10036	TA37			
i290 2007-2008	TA36GM/TAB10036	TA37			
i350 2006	TA36GM/TAB10036	TA37			
i370 2007-2008	TA36GM/TAB10036	TA37			
Oasis 1996-1999					
Rodeo 1998-2003 (I-4 only)	TA38B/TA38C	TA39A			

* If TA36GM/TAB10036 "stem" with o-ring will not fit into cooling system neck, the TA32A may be required.

COOLING SYSTEM ADAPTORS

Make/Model/Year	Cooling System Adaptor	Cap Adaptor	Make/Model/Year	Cooling System Adaptor	Cap Adaptor
JAGUAR®					
Models with male threads on filler neck 1990-1994	TA34A/TAB10034	TAB1C047	Defender 1993-1995, 1997		
F-Type 2013-current	TA36GM/TAB10036**	TA33A	Discovery 1989-1998	TA34A/TAB10034	TAB1C047
XE 2015-current	TA32A	TA33A	1999-2004	TA345A/TAB10345	TA346A
XF 2009-current	TA36GM/TAB10036**	TA33A	Discovery Sport 2015-current	TA52/TAB10052	TA53/TAB1C053
XJ 2009-current	TA32A	TA33A	Freelander 2002-current	TA18B/TAB10025	TAB1C026
XJ8 1998-2003	TA46/TAB10046	TA47	LR2 2008-current	TA52/TAB10052	TA53/TAB1C053
2004-2009	TA36GM/TAB10036**	TA33A	LR3 2005-2009	TA36GM/TAB10036**	TA33A
XK8 1997-2004, 2006	TA46/TAB10046	TA47	LR4 2010-2016	TA36GM/TAB10036**	TA33A
S-Type 2000-2008	TA36GM/TAB10036**	TA33A	Range Rover 1988-1994	TA34A/TAB10034	TAB1C047
X-Type 2002-current	TA34A/TAB10034	TAB1C047	1995-2005	TA345A/TAB10345	TA346A
			2006-current	TA36GM/TAB10036**	TA33A
			Range Rover Evoque 2012-2015	TA52/TAB10052	TA53/TAB1C053
JEEP®					
Models with male threads on filler neck 1987-1990	TA18B/TAB10025	TA26A	LEXUS®		
Cherokee 2014-current	TA36GM/TAB10036	TA37	Models with 16mm deep filler neck, see page 9	SVT262-28/28A	SVT262-29
Renegade 2015-current	TA36GM/TAB10036	TA37	Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A
JOHN DEERE® TRACTORS					
Some Models 1990's-current	TAB10102		Models with Threaded Caps: GS 460 2008-current	TA48/TAB10048	TA49
Most model #'s over 3000 with 48mm O.D. male threads on filler neck	TA16B/TAB10022	TA23A	HS 250h 2010-current	TA48/TAB10048	TA49
Most model #'s under 3000 with 52mm O.D. male threads on filler neck	N/A-consult factory	N/A	IS F 2008-2014	TA48/TAB10048	TA49
KENWORTH®			LS 2007-current	TA48/TAB10048	TA49
Some Models 2007-current	TA32A	TA33A	NX 2015-current	TA48/TAB10048	TA49
T270, T370 2015-current	TA84/TAB10084		Velar 2018-current	TA32A	TA33A
T660 2008-2017	TA42/TAB10042	TAB1C035			
T680 2014-current	TA42/TAB10042	TAB1C035			
KIA®					
Models with 16mm deep filler neck, see page 9	SVT262-28/28A	SVT262-29	LIEBHERR® CRANE		
Sportage 2016-current	TA86/TAB10086	TAB1C087	Some Models	TAB10076	
Niro 2017-current	TA86/TAB10086	TAB1C087	MACK®		
			Late models with male threads on filler neck	TA50/TAB10022	TA23A/TAB1C023
			MASERATI®		
			Most Models 2000-current	TA18B/TAB10025	TAB1C026
			Ghibli S Q4 2015-current	TA72/TAB10072*	TAB1C026

* If TA36GM/TAB10036 "stem" with o-ring will not fit into cooling system neck, the TA32A may be required.

* TA18B/TAB10025 may also work.

COOLING SYSTEM ADAPTORS

Make/Model/Year	Cooling System Adaptor	Cap Adaptor
MAZDA®		
Models with 16mm deep filler neck, see page 9	SVT262-28/28A	SVT262-29
Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A
Models with Threaded Caps:		
B2300 Pickup 1994-1997	none	SVT262-21
2001-2009	TA36GM/TAB10036**	TA33A
Tribute 2001-2011	TA46/TAB10046	TA47
Mazda 3 2004-current	TA52/TAB10052	TA53/TAB1C053
Mazda 6 2003-current	TA36GM/TAB10036	TA37
MCLAREN®		
Most models 2012-current	TA72/TAB10072	TAB1C026
MERCEDES®		
Models with threaded neck except M-Class below	TA44/TAB10044	TA45
M-Class with threaded neck 1998-2005	TA36GM/TAB10036**	TA33A
M-Class 2006-current	TA44/TAB10044	TA45
Sprinter Van 2011-current	TA58	TA59
MERKUR®		
Scorpio 1987-1989	TA245A/TAB10245	TAB1C047
MINI®		
Cooper S Model 2002-current	TA63/TAB10063▲	TAB1C047
MITSUBISHI®		
Models with 16mm deep filler neck, see page 10	SVT262-28/28A	SVT262-29
Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A
NISSAN®		
All models with non-threaded small cooling system caps 1987-current	SVT262-28/28A	SVT262-29
Armada/Titan 2004-2009	TA36GM/TAB10036**	TA33A
2010-current	SVT262-28/28A	SVT262-29

▲TA63/TAB10063 seals the same way the radiator cap seals but the TA18B/TAB10025 will work in most applications.

* * If TA36GM/TAB10036 "stem" with o-ring will not fit into cooling system neck, the TA32A may be required.

Make/Model/Year	Cooling System Adaptor	Cap Adaptor
OLDSMOBILE®		
Achieva 1992-1998	TA36GM/TAB10036**	TA33A
Alero 1999-2004	TA36GM/TAB10036	TA37
Aurora 1995-1999	TA36GM/TAB10036**	TA33A
Bravada 2002-2004	TA36GM/TAB10036	TA37
Cutlass 1997-1998	TA36GM/TAB10036**	TA33A
1999	TA36GM/TAB10036	TA37
Intrigue 1999	TA36GM/TAB10036**	TA33A
2000-2002	TA36GM/TAB10036	TA37
PETERBILT® TRUCKS		
Some Models 2007-current	TA32A	TA33
PONTIAC®		
Fiero 1984-1988	TA4503	
Firebird 1999-2002	TA36GM/TAB10036	TA37
G3 2009-2010	TA34A/TAB10034	TAB1C047
G5 2007-2010	TA36GM/TAB10036	TA37
G6 2005-2010	TA36GM/TAB10036	TA37
Grand Am 1985-1988	TA4503	
1992-1998	TA32A	TA33A
1999-2005	TA36GM/TAB10036	TA37
Grand Prix 2004-2008	TA36GM/TAB10036	TA37
GTO 2004-2006	TA36GM/TAB10036**	TA33A
Le Mans 1988-1993	TA34A/TAB10034	TAB1C047
Montana 1999-2006	none	SVT262-21
2007-2009	TA36GM/TAB10036	TA37
Optima 1988-1991	TA36GM/TAB10036**	TA33A
Solstice 2006-2009	TA36GM/TAB10036	TA37
Sunbird 1982-1992	TA4503	
Sunburst 1985-1988	SVT262-28/28A	SVT262-29
Sunfire 1995-1998	TA32A	TA33A
1999-2005	TA36GM/TAB10036	TA37
Vibe 2003-2010	TA38B/TA38C	TA39A

COOLING SYSTEM ADAPTORS

Make/Model/Year	Cooling System Adaptor	Cap Adaptor
PORSCHE®		
911 1999-2015	TA16B/ TAB10022	TA23A
Boxster 1997-2006	TA16B/ TAB10022	TA23A
2007-2013	TA41/ TAB10041	TA40
2015-current (in luggage compartment)	TAB10078	
Boxster/Cayman 2007-2013	TA60	
Cayenne 2003-current	TA41/ TAB10041	TA40
Cayman 2006	TA16B/ TAB10022	TA23A
2007-2011	TA41/ TAB10041	TA40
2014-current (in luggage compartment)	TAB10078	
Macan 2015-current	TA41/ TAB10041	TA40
Panamera 2010-current	TA41/ TAB10041	TA40
RENAULT®		
All models 1985-1987	TA18B/ TAB10025	TAB1C026
ROLLS ROYCE®		
Ghost 2010		
Engine Cooling System	TA445/ TAB10445	TA446
Supercharger Cooling System	TA63/ TAB10063	TAB1C026
SAAB®		
900 1978-1993	TA18B/ TAB10025	TAB1C026
1994-1998	TA34A/ TAB10034	TAB1C047
900 Convertible 1994	TA18B/ TAB10025	TAB1C026
9000 1986-1998	TA18B/ TAB10025	TAB1C026
9-3 1999-2003	TA34A/ TAB10034	TAB1C047
2004-2010	TA36GM/ TAB10036**	TA37
9-5 1999-2008	TA34A/ TAB10034	TAB1C047
9-7 X 2005-2009	TA36GM/ TAB10036	TA37

Make/Model/Year	Cooling System Adaptor	Cap Adaptor
SATURN®		
All models except as below		
1990-1998	TA32A	TA33A
1999-current	TA36GM/ TAB10036	TA37
L - Series 2000-2005	TA34A/ TAB10034	TAB1C047
Vue 2002	TA34A/ TAB10034	TAB1C047
2003-2009	TA36GM/ TAB10036	TA37
Ion Redline 2004-2009		
Engine Cooling System	TA36GM/ TAB10036	TA37
Supercharger Cooling System	TA56/ TAB10056	TA57
SCION®		
All models 2004-current	TA38B/TA38C	TA39A
XB 2008-2016	TA48/ TAB10048	TA49
SMART®		
All models 2008-current	TA16B/ TAB10022	TA23A
2016-current	TA63/ TAB10063	TAB1C026
STERLING®		
All models 1987-1991	TA18B/ TAB10025	TAB1C026
SUBARU®		
Models with 16mm deep filler neck, see page 10	SVT262-28/28A	SVT262-29
Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A
SUZUKI®		
Models with 16mm deep filler neck, see page 9	SVT262-28/28A	SVT262-29
Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A
Forenza 2004-2008	TA34A/ TAB10034	TAB1C047
Reno 2005-2008	TA34A/ TAB10034	TAB1C047
Verona 2004-2006	TA34A/ TAB10034	TAB1C047
XL 7 2007-2009	TA36GM/ TAB10036	TA37
TESLA®		
Model 3 2017-current	TA98/ TAB10098	TAB1C099

COOLING SYSTEM ADAPTORS

Make/Model/Year	Cooling System Adaptor	Cap Adaptor
TOYOTA®		
Models with Non-Threaded Cooling System Caps:		
Models with 16mm deep filler neck, see page 9	SVT262-28/28A	SVT262-29
Models with 9.5mm deep filler neck, see page 10	TA38B/TA38C	TA39A
Models with Threaded Cooling System Caps:		
Avalon 2013-current	TA48/TAB10048	TA49
Celica 2000-2005	TA48/TAB10048	TA49
MR2 Spyder 2000-2005	TA48/TAB10048	TA49
RAV4 2009-current	TA48/TAB10048	TA49
Sienna (see page 10) 1998-2006	SVT262-28R	SVT262-29
2007-current	TA38B/TA38C	TA39A
Hybrid Synergy Drive		
Cooling System:		
Camry 2007-current	TA48/TAB10048	TA49
Highlander 2006-current	TA48/TAB10048	TA49
Prius 2004-current	TA48/TAB10048	TA49
TRUCKS		
Vehicles with large fill ("B") neck (2 11/16") see page 11	TA450/TA450A or TA4505	TA450/TA450A or TA4504
VAN HOOL® BUS		
Some Models	TAB10076	
VOLKSWAGEN®		
Models with male threads on filler neck, 1975-1993	TA16B/TAB10022	TA23A
Models with female threads on filler neck, 2004-current	TA41/TAB10041	TA40
Beetle 1998-current	TA41/TAB10041	TA40
CC 2009-current	TA41/TAB10041	TA40
Cabrio 1995-2002	TA31A/TAB10031	TA30A
Corrado 1990-1994	TA31A/TAB10031	TA30A
Eurovan 1993-2003	TA31A/TAB10031	TA30A


Make/Model/Year	Cooling System Adaptor	Cap Adaptor
VOLKSWAGEN® (CONTINUED)		
Golf 1985-1990	TA16B/TAB10022	TA23A
1991-1999	TA31A/TAB10031	TA30A
2000-current	TA41/TAB10041	TA40
GTI 1985-1990	TA16B/TAB10022	TA23A
1991-1999	TA31A/TAB10031	TA30A
2000-current	TA41/TAB10041	TA40
Jetta 1980-1990	TA16B/TAB10022	TA23A
1991-1999	TA31A/TAB10031	TA30A
1999-current	TA41/TAB10041	TA40
Passat 1990-1997	TA31A/TAB10031	TA30A
1998-current	TA41/TAB10041	TA40
Phaeton 2002-current	TAB10074	
Toureg 2004-current	TA41/TAB10041	TA40
VOLVO®		
All with threaded neck except large trucks and as specified below	TA18B/TAB10025	TAB1C047
C30 2008-current	TA52/TAB10052	TA53
C70 2008-current	TAB10052	TA53
S40 2004-2011	TA52/TAB10052	TA53
S80 2008-current	TA52/TAB10052	TA53
V50 2005-2011	TA52/TAB10052	TA53
V60 2014-current	TA52/TAB10052	TA53
V70 2008-2010	TA52/TAB10052	TA53
XC60 2010-current	TA52/TAB10052	TA53
XC70 2008-current	TA52/TAB10052	TA53
XC90 T8 Hybrid 2016-current	TA88/TAB10088	TAB1C089
VOLVO HEAVY EQUIPMENT®		
A45G Articulated Hauler 2017-current	TAB10094	
EC220E Excavator 2015-current	TA96/TAB10096	
Volvo® Large Trucks with: • 48mm x 3mm thread • 63mm x 3mm thread	TA50/TAB10022 TA27/TAB10027	TA23A

COOLING SYSTEM ADAPTOR GASKET APPLICATION GUIDE

See chart below for gasket applications.

ADAPTER	GASKET/O-RING SIZE	GASKET PART #
TA32A, TAB10Q84	2 1/16" O.D. x 1 1/8" I.D. x 1/8" thick	TA32AG
TA34A, TA36GM	2 1/16" O.D. x 1 7/16" I.D. x 1/8" thick	TA34AG
TA16B, TA18B, TA50, TAB10036, TAB10034	1 7/8" O.D. x 1 3/16" I.D. x 1/8" thick	TA10036G
TA245A, TA345A, TAB10245, TAB10345	1 7/16" O.D. x 1 5/16" I.D. x 1/16" thick	TA10354G
SVT262-28, SVT262-28A, TA38B, TA38C	1 1/8" O.D. x 1 1/2" I.D. x 1/4" thick	SVT262-30
TA31A, TA41, TAB10031, TAB10041, TAB10074,	36mm O.D. x 28mm I.D. x 4mm cross section O-ring	TA10031R
TA36GM, TA46, TA52, TAB10036, TAB10046		
TAB10052, TA88, TAB10088	31mm O.D. x 23mm I.D. x 4mm cross section O-ring	TA10052R
TA44, TAB10044	42mm O.D. x 34mm I.D. x 4mm cross section O-ring	TA10044R
TA48, TAB10048	13/16" O.D. x 5/8" I.D. x 3/32" cross section O-ring (O-ring # P16)	TA10048R
TA445, TAB10445	38mm O.D. x 28mm I.D. x 5mm cross section O-ring	TA10445R
TA27, TA54	2 1/2" O.D. x 1 9/16" I.D. x 1/8" thick	TA27G
TA56, TAB10056	23mm O.D. x 17mm I.D. x 3mm cross section O-ring	TA10056R
TA4503	2 3/4" O.D. x 1 3/4" I.D. x 3/16" thick	TA4502
TA450/TA450A/TA4505	Molded Rubber Gasket	TA450-1A
TAB10022	1 3/4" O.D. x 1" I.D. x 1/8" thick	TAB10022G
TAB10025	1 11/16" O.D. x 1 1/16" I.D. x 1/8" thick	TAB10025G
TAB10027	2 3/8" O.D. x 1 5/8" I.D. x 1/8" thick	CONSULT FACTORY FOR NUMBER
TA58	27mm O.D. x 21mm I.D. x 3mm cross section O-ring	TA58R
TA60	Molded Gasket	TA60G
TA63, TAB10063, TAB10078	1 7/16" O.D. x 1 3/16" I.D. x 1/8" cross section O-ring	TA10063R
TA67, TA67R	Molded rubber gasket	TA67G
TAB10069	1" O.D. x 5/8" I.D. x 3/16" thick	TAB10069R
TAB10070	1" O.D. x 1/2" I.D. x 1/16" thick	TAB10070G
TA72, TAB10072	26mm O.D. x 19mm I.D. x 3.5mm cross section O-ring	TA10072R
TAB10076	Molded rubber gasket (custom)	TAB10076G
TA84, TAB10054	2 1/4" O.D. x 1 1/2" I.D. x 1/8" thick	TA84G
TAB10086, TA86	21mm O.D. x 14mm I.D. x 3.5mm cross section O-ring	TAB10086R

PARTS LIST for PRESSURE TESTER SVTS272 WITH PARTS



LIMITED WARRANTY

Any Snap-on® equipment item shown in this booklet which fails to give satisfactory service within the one year warranty period will be repaired or replaced when returned to a Snap-on® representative. Snap-on® shall not be liable for loss of use of the product or other incidental or consequential costs incurred by the purchaser.

PARTS LIST for PRESSURE TESTER SVTS263A WITH PARTS



	DIAGRAM #	STOCK PART #	DESCRIPTION
1		TA10052R	Rubber Seal for #TAB10036
2		TA10036G	Rubber O-ring for #TAB10036/TAB10052
3		TAB10036	Radiator Adaptor with Seal
4		SVT262-22	Spacer Washer (1/4" Thick Rubber Washer) for testing 1" Deep Filler Necks
5		SVT262-30	Rubber Seal for 32mm Radiator Adaptors
6		TA38C	32 mm x 9.5mm deep, adaptor with seal
7		SVT262-28A	32 mm x 16mm deep, adaptor with seal
*		SVTS263-1	Complete pump with Hose and Cap Assy. (#8 thru #12)
8		SVTS263-2	Pressure Gauge with rubber boot
9		SVTS263-3	Hook and Bracket Assembly
10		SVTS263-6	Valve/Regulator Assembly
11		SVTS263-4	Cap Assembly with Hose
12	*	SVT262-19	Note: Hose is field repairable with 3/16" fuel hose.
*		SVTS263-5	Tester Seal (Not Shown) Plastic Carrying Case

SVTSRAD272A AND SVTSRAD272U COOLANT FILLERS

SVTSRAD272A and SVTSRAD272U


DIAGRAM #	STOCK PART#	DESCRIPTION
*	SVTSRAD26230	Plastic Carrying Case (not shown)
2	SVTSRAD2726	Bottom Connect Vacuum Gauge
3	SVTSRAD27213	Coolant Filler Valve
6	SVTSRAD26215	Venturi Body Assembly
7	SVTSRAD26214	Air Inlet Valve
8	SVTSRAD27211	Coolant Filler Hose w/screen
9	SVTSRAD2624	Overflow hose (not pictured-attaches to end of Venturi body)
10	SVTSRAD26212	Inner Valve Assembly
11	SVTSRAD26216	Assy. Screws, 8/32" x 1 1/4" (2 Req.)
15	SVTSRAD27215	Coolant Filler Suction Screen Only

SVTSRAD272A ONLY

1	SVTSRAD27217	Coolant Filler Body Assembly
4	SVT262-19	Tester Seal

SVTSRAD272U ONLY

12	SVTSRAD27227	Coolant Filler Body Assembly
13	SVTSRAD27229	Adaptor Cone, Smooth (7/16-20 thread)
14	SVTSRAD27228	Adaptor Cone, Step (7/16-20 thread)




SVTSRAD372TA TRUCK COOLANT FILLER

SVTSRAD372TA Truck Coolant Filler

DIAGRAM #	STOCK PART#	DESCRIPTION
1	SVTSRAD27217	Truck Filler Body Assembly
2	SVTSRAD2726	Lower Connect Vacuum Gauge
3	SVTSRAD3722	Coolant Filler Valve
4	SVTSRAD3723A	Exit Nozzle
5	SVTSRAD26214	Air Inlet Valve
6	SVTSRAD3725A	Venturi Body
7	SVTSRAD26216	Assy. Screws, 8/32" x 1 1/4" (2 Req.)
8	SVTSRAD26212	Inner Valve Assembly
9	SVT262-19	Tester Seal
10	SVTSRAD37215	Domed screen (attaches on end of filler hose)
*	SVTSRAD3724	Venturi Hose
*	SVTSRAD3721	Coolant Filler Hose with Domed Screen (attaches to filler valve)
*	SVTSRAD37230	Plastic Carrying Case

*NOT PICTURED



Made in the U.S.A. with global components.
Snap-on® and Blue-Point® are trademarks of Snap-on® Incorporated.
© Snap-on® Incorporated 2019. Printed in U.S.A.

2801 80th St., Kenosha, WI 53143 www.snapon.com