



## **SVTA18000**

# **18 pc Anodized Aluminum Cooling System Adaptor Kit**

## **Radiator Cap Adaptor Kit**

**For use with the SVTS272 and SVTS263A series testers to pressurize cooling systems to check for leaks**

### **Features and Benefits**

- Set contains (18) adaptors necessary to test almost all of the passenger vehicles on the road today
- Adaptors are made with anodized aluminum and chrome plated zinc
- Most adaptors are shaped like the caps from the systems they test for easy identification
- Includes a laminated adaptor application sheet for quick reference and the cooling system application booklet
- Interactive adaptor search is also available at [www.snaponradiatortools.com](http://www.snaponradiatortools.com)
- Plastic box also available separately (PBSVTA1417)



**Technical Support**  
**877-762-7664**

CE - Not Applicable

Country of Origin: USA



Snap-on is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All other trademarks are marks of their respective holders.  
©Snap-on Incorporated 2020. All rights reserved.  
Snap-on, 2801 80th Street, Kenosha, WI 53143 [www.snapon.com](http://www.snapon.com)

**January 2020**  
**Page 1 of 4**



# SVTA18000

## Set Component and Applications

Radiator adaptors and cap adaptors can be used with the SVTS272 Series and SVTS263A Series cooling system testers (sold separately), to check for leaks

Stock No.	Application
TA16B	Audi®, Porsche®, Smart®, VW®
TA18B	Saab®, Jeep®, Ferrari®, Maserati®, Renault®, Saab®, Sterling®, Volvo®
TA31A	VW®
TA34A	Cadillac®, Chevrolet®, Daewoo®, Ford®, Jaguar®, Land Rover®, Pontiac®, and Saab® Saturn®, Suzuki® Use with TA246A cap adaptor
TA36GM	Buick®, Cadillac®, Chevrolet®, Dodge®, Ford®, GMC®, Hummer®, Infiniti®, Isuzu®, Jaguar®, Jeep®, Land Rover®, Lincoln®, Mazda®, Mercedes-Benz®, Mercury®, Nissan®, Pontiac®, Saab®, Saturn®, Suzuki®
TA38C	Acura®, Chevrolet®, Chrysler®, Geo®, Honda®, Isuzu®, Lexus®, Mazda®, Mitsubishi®, Pontiac®, Scion®, Subaru®, Suzuki®, Toyota®
TA41	Audi® Bentley®, Lamborghini®, Porsche®, VW®
TA445	BMW® 3-series (2006 and later) and 5- and 6-series (2005 and later)
TA44	Chrysler® Crossfire® (2004-2008), Mercedes-Benz®
TA46	Aston Martin®, Ford®, Jaguar® and Mazda®. Use with TA47 cap adaptor
TA48	Lexus®, Lotus®, Scion®, Toyota®
TA52	Aston Martin®, Ford®, Land Rover®, Mazda® 3 (2004 and later) and Volvo® S40/ V50 (2004 and later)
TA56	Cadillac®, Chevrolet® and Saturn® Supercharger cooling systems
TA58	Mercedes-Benz® A and B Class, 2007 Dodge® Sprinter® Van with 42 x 2.5mm thread on filler neck <b>NEW</b>
TA86	current Hyundai® and Kia® models <b>NEW</b>
TA93	current GM® pickups with Duramax® diesel engine <b>NEW</b>
TA345A	BMW® and Range Rover®
SVT262-28A	Acura®, Chevrolet®, Chrysler®/Dodge®/ Eagle®/Plymouth®, Ford®/Lincoln®/Mercury®, Geo®, Honda®, Hyundai®, Infiniti®, Isuzu®, Kia®, Lexus®, Mazda®, Mitsubishi®, Nissan®, Subaru®, Suzuki® and Toyota®
PBSVTA1417	Plastic Storage Box

**Note: TA245A and TA4503 removed that were included in preceding set**





## Adapter Guide

Schematic - Thread Cutaway

# SVTA18000

<p><b>TA56</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 40mm</p>	<p><b>TA48</b></p> <p>WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 36mm</p>	<p><b>TA93</b></p> <p>WHERE O-RING SEALS FOR VACUUM REPELLING</p> <p>OUTSIDE DIAMETER 52mm</p>	<p><b>TA36GM</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>	<p><b>TA52</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 50mm</p>	<p><b>TA46</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>
	<p><b>TA58</b></p> <p>WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 45mm</p>	<p><b>TA86</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>	<p><b>TA16B</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 48mm</p>	<p><b>TA345A</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>	<p><b>TA31A</b></p> <p>WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>
				<p><b>TA18B</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 45mm</p>	<p><b>TA34A</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>
<p><b>SVT262-28A</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 32mm</p>	<p><b>TA38C</b></p> <p>WHERE GASKET OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 32mm</p>		<p><b>TA445</b></p> <p>WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>	<p><b>TA44</b></p> <p>WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 52mm</p>	<p><b>TA41</b></p> <p>WHERE O-RING OF CAP SEALS ON COOLANT BOTTLE NECK</p> <p>OUTSIDE DIAMETER 63mm</p>



[www.snaponradiatortools.com](http://www.snaponradiatortools.com)

**Technical Support**  
**877-762-7664**

### WARNING

- Pressurized equipment, systems or tanks can break or leak.
- Do not exceed the maximum pressure rating of equipment. Wear safety goggles or shield and protective clothing appropriate to the fluid.
- Pressurized fluid striking the body can cause personal injury. Flammable fluids such as gasoline, propane, etc. can ignite or explode and cause injury.
- Fluids can leak or escape. Use only in well ventilated areas. Breathing vapors or fluids from leaks can cause illness or injury.
- Pressurized air or fluid stream can propel dust or particles. Do not direct air or fluid stream at your body or at others.
- Flying particles, air or fluid entering body can cause injury.
- Improper use or maintenance of pressurized equipment can cause leaks or rupture.
- Read and follow instructions. Leaking of pressurized equipment can cause injury. Read additional safety warnings on pages W1 to W4 in Catalog 1400.



Snap-on is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All other trademarks are marks of their respective holders. ©Snap-on Incorporated 2020. All rights reserved. Snap-on, 2801 80th Street, Kenosha, WI 53143 [www.snapon.com](http://www.snapon.com)





## Related Items

- SVTS272 Cooling System Tester
- SVTS263A Air Powered Cooling System Pressure Tester
- SVTS2000 Coolant Barrier Pressure Tester
- SVTSRAD272A Cooling System Refiller
- SVTA9100 9 pc Truck Cooling System Adaptor Set
- SVTAB1400A 14 pc Cooling System Adaptor Set (Blue-Point®)



SVTS272



SVTS263A



SVTS2000



SVTSRAD272A



SVTAB1400A



SVTA9100

